PRICE LIST

COPPER PLATE PRESSES.

No. 4. BENCH COPPER PLATE PRESSES.

The original bench copper plate press, best known and appreciated throughout the globe, will print any etching within its capacity as well as the largest press.


The rollers are of large diameter, 5 ins.

The Plank is made of close grained cast iron accurately machined all over, works between flanged guide rollers and rests on antirriction runners at ends.

The Side Frames are of cast iron, accurately machined and fastened together with cast iron cross braces, making the press perfectly rigid under all conditions.

Prices, with 5-spoke Star as illustration-

4571 With Rollers 10 ins. long and Iron



These Presses can now be supplied fitted with double gearing by means of which every ounce of pressure required to get the finest lines on a plate to print is available while the effort of turning regularly is reduced to a minimum.

Prices, with double gearing as illustration-

4571G With Rollers 10 ins. long and Iron Plank 26×10 ins. 4572G With Rollers 12 ins. long

Iron Plank 30×12 ins.

4573A Rigid Iron Stand for Press stand on

Zinc Bed Plates for ditto-4574 24×10 ins. .. 4575 24×12 ins.

Packing for export extra Specially strong packing cases are provided for the bench presses which make satisfactory stands for the presses to work on.

BLANKETS. Any size cut to order The set of blankets usually recommended for these presses consists of 3 Blankets and 2 Frontings.

.. per set of 5 47/6 4576 9×20 ins. for press 4571 ... 4577

11×20 ,, 4572 No. 5. THE ETCHERS' PRESSES.

These Copper Plate Presses have been specially designed for artists to print their own etchings, etc., and are the result of many years personal experience and the collaboration of Masters of Etching.

They have cast iron side frames fastened together with cast iron cross braces making the presses rigid under all conditions, steel regulating pressure screws, ample provision for packing, close grained cast iron rollers 6 inches diameter, gunmetal bearings, and planed iron plank working between machined guides and resting on antifiction runners at ends.

In this design the bottom roller of the geared presses is driven by the gear wheel and the top roller supported on springs under the bearings making the adjustment of the blankets the simplest possible operation, and reducing the possibility of creasing blankets or paper to the minimum.



Illustration of Double Geared Etchers' 15 in. Press

to stand on floor.													
It is made in the following styles and sizes—													
ODDIMADY STVIF With 6-armed star direct to top roller similar to illustration on page 4													
TO 1 WILL DI LE STATE OF THE ST													
4581 With Rollers 15 ins. long and Iron Plank 36×15 ins. to stand on bench													
4582 ,, ,, 15 ,, ,, 36×15 ,, ,, tloor													
4581 With Rollers 15 ins. long and Iron Plank 36×15 ins. to stand on bench 4582 15 ins. long and Iron Plank 36×15 ins. to stand on bench 4582 15 ins. long and Iron Plank 36×15 ins. to stand on bench 4582 15 ins. long and Iron Plank 36×15 ins. to stand on bench 4582 15 ins. long and Iron Plank 36×15 ins. to stand on bench 4582 15 ins. long and Iron Plank 36×15 ins. to stand on bench 4582 15 ins. long and Iron Plank 36×15 ins. to stand on bench 4582 15 ins. long and Iron Plank 36×15 ins. long and Iron Plank 36×15 ins. to stand on bench 4582 15 ins. long and Iron Plank 36×15 ins. long													
4582 ", 15 ", ", 36×15 ", ", floor /2 6 4593 ", 19 ", ", 36×19 ", bench													
SINGLE GEARED. With 6-armed star fitted with gearing for single reduced motion,													
reducing the effort required for printing and making uniform turning more easy to obtain.													
reducing the effort required for printing and making uniform turning more easy to obtain													
4584 With Rollers 15 ins. long and Iron Plank 36×15 ins. to stand on bench £120													
4596 " 19 " " 36×19 " " bench 140													
4507 " 19 " " 36×19 " floor 160													
DOVIDLE CEADED With flowbeel and handle and double reduced motion the perfect													
DOUBLE GEARED. With hywheel and handle and double reduced motion, the periods													
press ensuring uniform turning motion with very little effort. 4587 With Rollers 15 ins. long and Iron Plank 36×15 ins. to stand on bench 4588 , " 15 " " " 36×15 " " floor													
4587 With Rollers 15 ins. long and Iron Plank 36×15 ins. to stand on bench													
4588 . " 15 " " " 36×15 " " floor /60 4599 . " 19 " " 36×19 " , bench /60 4600 . " 19 " " 36×19 " " floor /80													
4588 , " 15 " " 36×15 " " 1007													
4600 " " 19 " " 36×19 " " floor 180													
4000 "," " " " " " " " " " " " " " " " "													
Packing for export extra:													
4581/2/4/5 4581/8 4593/4/6/7 4599/4000													
Packing for export extra:— 4581/2/4/5 The bench presses are packed in specially strong packing cases which make satisfactory													
stands for them to work on. ZINC BED PLATES. 4627 36×15 ins. 56/3 4628 36×19 ins. 71/3													
ZINC BED FLATES. TOLING SON IS INS. 50/													
The set of blankets usually recommended for these presses consists of 3 Blankets and													
2 Frontings. 4632 14×30 ins. for presses 4581/8 per set of 5 4533 18×30 , 4593/4600 145/- 4557 Waterproof Covers for C.P. Presses 4581/4600 each													
4637 14×30 ins. for presses 4581/8 per set of 5													
4633 18 × 30 4593/4600 /95/-													
107 W. S. Carrey for C.D. Property 4581/4600													
45)/ Waterproof Covers for Cir. 1 100000													

37


No. 8. DOUBLE GEARED COPPER PLATE PRESSES.

Unsolicited Testimonial.

My dear Mr. Kimber,

I have waited some months after receiving the mangle geared etching press you sent me in order to give it good trial before sending you my opinion of it.


It gives me much pleasure now to state that this press seems to me to be as near perfect as one may properly expect the human brain to design and the human hand to build. All the troubles that worry the printer of etchings seem to have vanished. The pressure is slow and even, the paper does not "creep" on the plate. The pressure is readily made adequate for all necessary purposes, and the prints have that silky tone that comes from good pressure, even pressure, and slow progression through the press. Finally, the wheel is easy to turn, so that this press should solve the difficulty experienced by women when they tried to print on the old ungeared spider-wheeled press. I am very happy to possess this outstanding object of your manufacture, and only wish I had ordered it years ago.



			-				
The perfect Copper including gegrin	Plate Press for e	veru descripti	on of work	All the late			1 1. 1
including gearing	g machine cut fr	om the solid	easy remains	low slank	st umprot	ements are e	mbodied,
on application.		one one solie, e	asy running	, tow plank, e	etc., etc.	Further po	irticulars
4641 With Rollers	s 13 ins, long	and Iron Pla	nk 36×13;	ne			£400
4642	15	"	36×15	115			.2200
4643	19	" "	36×19	"			. 220
4644	23	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	12 12	"			. 260
4645	26	,, ,,	19 1/26				. 320
Packing for export	extra: 464	11/2	4643		1611		400
ZINC BED PLAT			1019		4044		545
PHIC BED I LAI	4648	26 10	. 48/			36×15 ins	1. 150/ 5
	4649		71/3		4650	48×26 "	1301
BLANKETS. An			10018				
The set of bla	nkets usually	recommend	ad for the				
The set of bla	mices usually	recommend	ed for thes	se presses c	onsists o	of 3 Blank	ets and
4651 12×30 ins. f	or press 4641				co R	6-10-0	
4652 14×30	4642		** **	per set	of of C	6-10 0	
4653 18×30	. 4643					7-11-8	
4654 22×36	4644				**	9-15-0	
4655 25×42	. 4645				- 2	11-9-0	,
4657 Waterproof	Covers for	C.P. Presse	4641/	each	" 1613	7-1-8	12
C	opper Plate Pre	esses bought e	rchanged a	d sold on a	4044	46	46
A T ADOTTOOM			and the	an sold on co	munussion	•	

A LARGE STOCK OF SECOND HAND COPPER PLATE PRESSES ALWAYS IN STOCK,
Please send for particulars stating your requirements.

No. 9. DOUBLE GEARED COPPER PLATE PRESSES.



These Presses embody all the latest improvements in construction for the highest class work, and are used principally for printing large plates such as map plates, etchings, dry points, aquatints, mezzotints, etc., being operated from both ends of the plank which is set low enough for large papers to be handled without a platform. The blankets are either pinned round the top roller when the size of the plate and paper used will permit but more usually with both ends loose the blankets being thrown back over the roller after the plate has been passed straight through the press from either end.

These presses are the acme of perfection, being built throughout of the finest materials and workmanship. Th Rollers and plank of close grained cast iron accurately machined, the bearings of best quality gunmetal and the upper roller is supported on springs so that it

rises when the pressure is removed to insert the blanket used.

The gearing is machine cut from the solid and works noiselessly and is proportioned so that the press works with minimum effort assisted by a suitable flywheel so maintaining the perfectly uniform motion necessary for the finest work.

4670 3 Horse Power Electric Motor fitted with enclosed speed reducing gear, reversing switch etc., specially designed and tested for this work

When ordering Electric Motors please state voltage of supply, if direct current or alternating current, and if the latter, the periodicity.

No. 6. ORDINARY STYLE COPPER PLATE PRESSES.

The standard printing press for visiting cards, invitations and similar work from engraved copper and steel plates.

The plate is inked and wiped by hand, placed on the press plank, the card on it, when the printing is done by moving the star down and up again, the impression being taken both on the forward and return movement.

Larger and more important work where the slightest double impression liable to take place on, the return movement would be detrimental is effected by running the plate right through and taking out at the back before the return movement either by the printer himself or an apprentice.

These presses are built throughout of the finest material and workmanship, the rollers and plank of close grained cast iron, accurately machined, the bearings of best quality gunmetal fully enclosing the spindles holding both the rollers in perfect alignment and the upper roller is supported on springs so that it rises when the pressure is removed to insert the makeready or blankets used.



4601	With Rollers	13	ins. long	and Iron	Plank	36×13	ins.			 	1-130
4602	,,,	15	,,	.,	**	36×15	**			 	150
4603		19	"	"	,,	36×19	**			 	190
4604		23	,,	,,	,,	42×23	**	**		 	230
1001	Packing for e	Z)	ort extra	"	"	42 \ 23	**		**	 	2

ZINC BED PLATES.

4605 36×13 ins. 48/9 4606 36×15 ins. 56/3 4607 36×19 ins. 71/3 4608 36×23 ins. 107/8

BLANKETS. The set of blankets usually recommended for these presses consists of 3 Blankets and 2 Frontings.

4612 14×30 ms. for press 4601 ... £6-10-0 4613 18×30 ,... 4602 ... 7-11-8 4614 22×30 ... 4603 ... 9-15-0 4614 22×30 "

Copper Plate Presses bought, exchanged and sold on commission.

A LARGE STOCK OF SECOND-HAND COPPER PLATE PRESSES ALWAYS KEPT.

Please send for particulars stating your requirements.

No. 7. SINGLE GEARED COPPER PLATE PRESSES.

This is operated in exactly the same way as the No. 6 press but the introduction of gearing makes the effort of printing easy for even the largest plates.

These presses are built throughout of the finest materials and workmanship, the rollers and plank of close grained cast iron, accurately machined, the bearings of best quality gunmetal fully enclosing the spindles holding both rollers in perfect alignment and the upper roller is supported on springs so that it rises when the pressure is removed to insert the makeready or blankets used.



4621	With Ro	ollers 13	ins. l	ong and	Iron Planl	x 36×13	ins.				£180	
4622	**	15	**	**	**	36×15	**			***	200	
4624		23	**		**	36×19 42×23		**			940	
4625		26			***	48×26					280	
	Packing	for exp	ort e	extra:		107120	"	 	**	**	320	
ZINC 4628	BED P 36×19 i	LATES.	/3	4626 36 4629 42	5×13 ins. 2×23 ins.	48/9		4627 4630	36×15 48×26	ins.	56/3	
RIAN	KETS	The ac	3- 4	Limber	11	,	4 4				. 24	

BLANKETS. The set of blankets usually recommended for these presses consists of 3 Blankets and 2 Frontings.


4631	12×30	ins. for	press	4621				RK-10-0
4632	14×30			4622				K6-10-8
4633	18×30	**	**	4623		 **		9-15-0
4634	22×36			4624				
	25×42			4625				21-9-0
			**	1040	**		3.8	27-1-8

Copper Plate Presses bought, exchanged and sold on commission.

A LARGE STOCK OF SECOND-HAND COPPER PLATE PRESSES ALWAYS IN STOCK.

Please send for particulars stating your requirements.

No. 10. HAND D. ROLLER COPPER PLATE PRESS.



This press is similar to the No. 6, Hand Copper Plate Presses but, as its name implies, the upper roller is D-shaped instead of round and the plank is fitted with belts and pulleys attached to a weight so that when the flat part of the roller is opposite to the plank the pressure being removed the plank returns automatically to its starting position.

The upper roller is fitted with a large diameter wheel instead of the usual star.


To obtain the best results from this press the plate is fastened to the plank by adhesive and a gas or oil burner fitted under the plank, so that the plate may be inked and wiped in position. The make-ready is fastened round the roller of the press.

In operation after inking and wiping the card or paper is put on the plate and printed by pulling round the wheel in the same way as the star in the ordinary style press but at the end of the print the flat of the D-roller comes opposite the plank and this returns to its starting position automatically when the D-roller is freely rotated until an adjustable stop on the roller reaches a stop on the plank which determines the starting position. The adjustment of the stop on the roller determines the exact point at which the impression leaves the plate being printed.

being	printe	d.							1
5601	With	Rollers	13 ins. 1	ong and Iron	n Plank	30×13	ins.		 240
5602			16	"	"	30×16		 	 240
5603	**	**	19		16	36×19	**	 	 330
5604	**	. **	23 .,		9.5	42×23	21	 	 370

Packing for export, extra:

No. 14. D. ROLLER COPPER PLATE PRESSES FOR POWER.



These presses are constructed on the same lines as the Hand D. Copper Plate Presses but are operated by mechanical power, reducing the operator's effort and so enabling a higher average output of better quality than otherwise.

For maximum output the plate is fastened to the plank by adhesive and a gas or oil burner fitted below to keep the plate warm so that it can be inked and wiped in position.

The make-ready is the same as for hand work but by striking on a lever the plank automatically moves forward, receives the impression and returns to its former position, the motion of the rollers ceasing at the same time.

8601	With	Rollers	13	ins.	long and	Iron	Plank	30×13	ins.	for plates	up to	9×	6 ins.
8602	.,	**	16	**	"		**	30×10	**	"	**	IZX	7 .
8603	**	1,	19	**	**		7.7	36×19		**	**	10×1	12 ,
8604	**	**	23	**	**			36×23		**	**	21×1	19 "
8605	**	**	26	**	"		**	42×26	39	***	"	211	7 11

Packing for export extra:

ALL Prices are strictly nett and subject to alteration without notice. Every reduction in price is given to clients, and increase, if any, charged, whether old price is mentioned on order or not, and orders are only accepted on this understanding.

WILFRED C. KIMBER, 25 FIELD ST.,

Telephone: TERMINUS 4542.

Telephone: KIMBER LONDON, TERMINUS 4542

LONDON, W.C. 1.

(Near Kings Cross Station)